

TRANSPORTBOXEN - 19" - RIGID-MOUNT Behälter

Artikelnummer	Innenabmessungen						Abmessungen Schwingrahmen			Aussenabmessungen in mm		
	L*	B*	H*	Deckeltiefe vorne	Mittelteil Länge	Deckeltiefe hinten	Einschub höhe a	Einschub breite b	Einschub tiefe c	L	B	H
2U250RML	250	450	90	50	250	50	90	450	250	350	510	143
2U330RML	330	450	90	50	330	50	90	450	330	430	510	143
2U410RML	410	450	90	50	410	50	90	450	410	510	510	143
2U490RML	490	450	90	50	490	50	90	450	490	590	510	143
2U570RML	570	450	90	50	570	50	90	450	570	670	510	143
2U650RML	650	450	90	50	650	50	90	450	650	750	510	143
2U730RML	730	450	90	50	730	50	90	450	730	830	510	143
2U810RML	810	450	90	50	810	50	90	450	810	910	510	143
2U890RML	890	450	90	50	890	50	90	450	890	990	510	143
2U970RML	970	450	90	50	970	50	90	450	970	1070	510	143
2U1050RML	1050	450	90	50	1050	50	90	450	1050	1150	510	143
2U1130RML	1130	450	90	50	1130	50	90	450	1130	1230	510	143
3U250RML	250	450	135	50	250	50	135	450	250	350	510	180
3U330RML	330	450	135	50	330	50	135	450	330	430	510	180
3U410RML	410	450	135	50	410	50	135	450	410	510	510	180
3U490RML	490	450	135	50	490	50	135	450	490	590	510	180
3U570RML	570	450	135	50	570	50	135	450	570	670	510	180
3U650RML	650	450	135	50	650	50	135	450	650	750	510	180
3U730RML	730	450	135	50	730	50	135	450	730	830	510	180
3U810RML	810	450	135	50	810	50	135	450	810	910	510	180
3U890RML	890	450	135	50	890	50	135	450	890	990	510	180
3U970RML	970	450	135	50	970	50	135	450	970	1070	510	180
3U1050RML	1050	450	135	50	1050	50	135	450	1050	1150	510	180
3U1130RML	1130	450	135	50	1130	50	135	450	1130	1230	510	180
4U250RML	250	450	179	50	250	50	179	450	250	350	510	224
4U330RML	330	450	179	50	330	50	179	450	330	430	510	224
4U410RML	410	450	179	50	410	50	179	450	410	510	510	224
4U490RML	490	450	179	50	490	50	179	450	490	590	510	224
4U570RML	570	450	179	50	570	50	179	450	570	670	510	224
4U650RML	650	450	179	50	650	50	179	450	650	750	510	224
4U730RML	730	450	179	50	730	50	179	450	730	830	510	224

TRANSPORTBOXEN - 19" - RIGID-MOUNT Behälter

Artikelnummer	Innenabmessungen						Abmessungen Schwingrahmen			Aussenabmessungen in mm		
	L*	B*	H*	Deckeltiefe vorne	Mittelteil Länge	Deckeltiefe hinten	Einschub höhe a	Einschub breite b	Einschub tiefe c	L	B	H
4U810RML	810	450	179	50	810	50	179	450	810	910	510	224
4U890RML	890	450	179	50	890	50	179	450	890	990	510	224
4U970RML	970	450	179	50	970	50	179	450	970	1070	510	224
4U1050RML	1050	450	179	50	1050	50	179	450	1050	1150	510	224
4U1130RML	1130	450	179	50	1130	50	179	450	1130	1230	510	224
5U250RML	250	450	224	50	250	50	224	450	250	350	510	271
5U330RML	330	450	224	50	330	50	224	450	330	430	510	271
5U410RML	410	450	224	50	410	50	224	450	410	510	510	271
5U490RML	490	450	224	50	490	50	224	450	490	590	510	271
5U570RML	570	450	224	50	570	50	224	450	570	670	510	271
5U650RML	650	450	224	50	650	50	224	450	650	750	510	271
5U730RML	730	450	224	50	730	50	224	450	730	830	510	271
5U810RML	810	450	224	50	810	50	224	450	810	910	510	271
5U890RML	890	450	224	50	890	50	224	450	890	990	510	271
5U970RML	970	450	224	50	970	50	224	450	970	1070	510	271
5U1050RML	1050	450	224	50	1050	50	224	450	1050	1150	510	271
5U1130RML	1130	450	224	50	1130	50	224	450	1130	1230	510	271
6U250RML	250	450	268	50	250	50	268	450	250	350	510	316
6U330RML	330	450	268	50	330	50	268	450	330	430	510	316
6U410RML	410	450	268	50	410	50	268	450	410	510	510	316
6U490RML	490	450	268	50	490	50	268	450	490	590	510	316
6U570RML	570	450	268	50	570	50	268	450	570	670	510	316
6U650RML	650	450	268	50	650	50	268	450	650	750	510	316
6U730RML	730	450	268	50	730	50	268	450	730	830	510	316
6U810RML	810	450	268	50	810	50	268	450	810	910	510	316
6U890RML	890	450	268	50	890	50	268	450	890	990	510	316
6U970RML	970	450	268	50	970	50	268	450	970	1070	510	316
6U1050RML	1050	450	268	50	1050	50	268	450	1050	1150	510	316
6U1130RML	1130	450	268	50	1130	50	268	450	1130	1230	510	316

TRANSPORTBOXEN - 19" - RIGID-MOUNT Behälter

Artikelnummer	Innenabmessungen						Abmessungen Schwingrahmen			Aussenabmessungen in mm		
	L*	B*	H*	Deckeltiefe vorne	Mittelteil Länge	Deckeltiefe hinten	Einschub höhe a	Einschub breite b	Einschub tiefe c	L	B	H
7U250RML	250	450	313	50	250	50	313	450	250	350	510	362
7U330RML	330	450	313	50	330	50	313	450	330	430	510	362
7U410RML	410	450	313	50	410	50	313	450	410	510	510	362
7U490RML	490	450	313	50	490	50	313	450	490	590	510	362
7U570RML	570	450	313	50	570	50	313	450	570	670	510	362
7U650RML	650	450	313	50	650	50	313	450	650	750	510	362
7U730RML	730	450	313	50	730	50	313	450	730	830	510	362
7U810RML	810	450	313	50	810	50	313	450	810	910	510	362
7U890RML	890	450	313	50	890	50	313	450	890	990	510	362
7U970RML	970	450	313	50	970	50	313	450	970	1070	510	362
7U1050RML	1050	450	313	50	1050	50	313	450	1050	1150	510	362
7U1130RML	1130	450	313	50	1130	50	313	450	1130	1230	510	362